

**Baymahni - Beach Club
Kitchen & Bar
Exuma, Bahamas**

BAYMAHNI



INTERNATIONAL INC.

2055 W 73rd Street, Miami, FL 33016
Ph:(305)826-8696 Fax:(305)826-9131

2	Owner Comments Changes to Ice, Bar Refrigeration	2-9-25
3	Owner Comments +1 Fryer, +1 Bar Workstation	2-22-25
4	Switched 6,7,9 to Future, Gridle, modular chef table.	3-13-25
5	Added Equipment MEP Information.	4-16-25
No.	Revision/Issue	Date

Date

April 16, 2025

Drawn By

Dayne Gauntlett


Scale

1/2" = 1'0"

Sheet


FS-3.2

ELECTRICAL SCHEDULE											
ItemNo	Category	Voltage	Cycle	Phase	Amps	Hp	NEMA	ConnectionType	Rough-In AFF	Quantity	Electrical Remarks
104	Blender Station	115	60	1	15			J-Box	14"	1	Electrician to connect to outlet on equipment
109	Glasswasher, Undercounter / Underbar	120	60	1	3.5		5-15P	Simplex	18"	1	
113	Back Bar Cabinet, Refrigerated	120	60	1	3.5	1/4	5-15P	Simplex	18"	1	



LEGEND - ELECTRICAL CONNECTIONS

- DUPLEX RECEPT., 15-AMP, 120-VOLT, GROUND TYPE, HORIZONTAL MOUNT
- SIMPLEX RECEPT., 120-VOLT, GROUND TYPE, HORIZONTAL MOUNT
- SPECIAL PURPOSE OUTLET, GROUND TYPE, HORIZONTAL MOUNT
- JUNCTION BOX, DIRECT CONNECTION
- DISCONNECT SWITCH, DIRECT CONNECTION
- FLOOR/CEILING RECEPTACLE AS INDICATED
- (2) Telephone + (2) Data
- FIELD CONNECTIONS
- HARD WIRE CONNECTION POINT AT MACHINE



NOTE # E1
TYPICAL OUTLETS IN WALL
ABOVE TABLE, BY ELECTRICIAN
NOT TO SCALE

NOTE # E2.
ALL NATIONAL, STATE, AND LOCAL
CODES SHALL APPLY.

NOTE # E3.
ALL ELECTRICAL CONNECTIONS
AND HARDWARE REQUIRED TO BE
PROVIDED BY ELECTRICAL
CONTRACTOR

NOTE # E4.
ALL JUNCTION BOXES, OUTLETS,
ETC. TO BE LOCATED SO AS TO
NOT INTERFERE WITH EQUIPMENT

NOTE # E5.
ALL RELAYS, CONTRACTORS,
STARTERS, AND SWITCHES
REQUIRED FOR EXHAUST & SUPPLY
FANS TO BE PROVIDED BY
ELECTRICAL CONTRACTOR
UNLESS SPECIFIED

NOTE # E6.
ELECTRICAL CONTRACTOR TO
INTERCONNECT DISHMACHINE TO
EXHAUST FAN FOR DISHMACHINE
SO THAT THE FAN RUNS WHEN
THE DISHMACHINE IS IN
OPERATION.

NOTE # E7.
ELECTRICAL CONTRACTOR TO
INSTALL TABLE LIMIT SWITCH TO
END OF CLEAN DISHTABLE TO
THAT MACHINE STOPS WHEN
SWITCH IS DEPRESSED.

NOTE # E8.
ELECTRICAL CONTRACTOR TO
CONNECT DRAIN LINE HEATER,
PAN HEATER AND DDBR HEATER
FOR WALK-IN FREEZER.

**Equipment
ELECTRICAL
Service Requirements**

All Dimensions to be verified on the job site.
Actual locations for floor drains, and any ventilating
equipment to be determined by Engineer.
Mechanical, Plumbing & Electrical to be checked and verified
by Customers MEP Engineer.
Remote Condensing Units to be located by Architect.
Exhaust & Supply fans to be located by Architect.