





The Legacy Companies is a privately-owned company, founded in 2000. We are a leading commercial food service equipment provider that designs, manufactures, distributes and markets, nationally and internationally, a diverse portfolio of products under world-class brands that exceed customer expectations.

The Legacy Companies is a trusted leader in the commercial industry. We are dedicated to helping you get the most out of your kitchen – from refrigerators and freezers, to merchandisers, ice machines, dishwashers, proofers, kettles, counter-top equipment, and smallwares, we have what your commercial foodservice business needs.

The power of our iconic brand portfolio combined with our focus on innovation and quality is what makes us the Legacy Companies.




Reach-In Refrigeration

Reach-In Refrigerators	5
Reach-In Freezers	7



Refrigerated Prep Tables

Pizza Prep Tables	9
Salad Prep Tables	11
Mega Top Prep Tables	13



Undercounter Refrigeration

Refrigerators	15
Freezers	17

Reach-In Refrigeration | Refrigerators



- Easy to clean 430 series stainless steel exterior
- Painted white aluminum interior
- Digital temperature control ranges 33-40°F in refrigerators and -7°F – 0°F in freezers
- Ships complete with casters
- 3 epoxy coated corrosion resistant shelves with 90 lb. capacity each
- Self-closing door with stay open feature beyond 90
- Bottom mounted condensing unit positioned for easy maintenance
- Preprogrammed digital control featuring auto defrost cycle
- Foamed in place insulation helps provide strength while helping to maintain internal temperature
- Eco-friendly R290 hydrocarbon refrigerant



GRRF-1D



GRRF-2D



GRRF-3D



Reach-In Refrigerators

Item #	Description	Doors	Shelves	Amps	HP	Refrigerant	Dimensions	Item Weight lbs	Shipping Weight lbs
GRRF-1D	Grista Reach-In Refrigerator, 1 Door - 23.1 Cu Ft, 29"	1	3	3.6A	1/5	R290	29.00" x 32.20" x 82.50"	281.6	321.0
GRRF-1DES	Grista Energy Star Reach-In Refrigerator, 1 Door - 23.1 Cu Ft, 29"	1	3	3.2A	1/5	R290	29.00" x 32.20" x 82.50"	282.0	321.0
GRRF-2D	Grista Reach-In Refrigerator, 2 Door - 46.7 Cu Ft, 54"	2	6	6.2A	1/4	R290	54.00" x 32.20" x 82.50"	446.6	530.0
GRRF-2DES	Grista Energy Star Reach-In Refrigerator, 2 Door - 46.7 Cu Ft, 54"	2	6	4.5A	1/4	R290	54.00" x 32.20" x 82.50"	447.0	530.0
GRRF-3D	Grista Reach-In Refrigerator, 3 Door - 72 Cu Ft, 80"	3	9	7.2A	3/4	R290	80.90" x 32.20" x 82.50"	613.8	693.0



Reach-In Refrigeration | Freezers



- Easy to clean 430 series stainless steel exterior
- Painted white aluminum interior
- Digital temperature control ranges 33-40°F in refrigerators and -7°F – 0°F in freezers
- Ships complete with casters
- 3 epoxy coated corrosion resistant shelves with 90 lb. capacity each
- Self-closing door with stay open feature beyond 90°
- Bottom mounted condensing unit positioned for easy maintenance
- Preprogrammed digital control featuring auto defrost cycle
- Foamed in place insulation helps provide strength while helping to maintain internal temperature
- Eco-friendly R290 hydrocarbon refrigerant



GRFZ-1D



GRFZ-2D



GRFZ-3D



Reach-In Freezers

Item #	Description	Doors	Shelves	Amps	HP	Refrigerant	Dimensions	Item Weight lbs	Shipping Weight lbs
GRFZ-1D	Grista Reach-in Freezer, 1 Door - 23 Cu Ft, 29"	1	3	4.2A	3/4	R290	29.00" x 32.20" x 82.50"	281.6	345.0
GRFZ-1DES	Grista Energy Star Reach-in Freezer, 1 Door - 23 Cu Ft, 29"	1	3	4.2A	3/4	R290	29.00" x 32.20" x 82.50"	282.0	321.0
GRFZ-2D	Grista Reach-in Freezer, 2 Door - 48 Cu Ft, 54"	2	6	8.5A	1	R290	54.00" x 32.20" x 82.50"	446.6	535.0
GRFZ-2DES	Grista Energy Star Reach-in Freezer, 2 Door - 48 Cu Ft, 54"	2	6	7.8A	1	R290	54.00" x 32.20" x 82.50"	447.0	530.0
GRFZ-3D	Grista Reach-In Freezer, 3 Door - 72 Cu Ft, 80"	3	9	14.4A	1	R290	80.90" x 32.20" x 82.50"	615.0	693.0



Refrigeration | Pizza Prep



- 304 stainless steel top, interior walls and floor
- Durable black steel exterior
- Environmentally-friendly R290 refrigerant
- Foamed-in-place polyurethane high density cell insulation throughout the entire cabinet
- Brilliant LED lighting
- Plastic coated wire shelves
- Automatic defrosting
- 24" narrow depth is great for areas with limited bar space
- Side mounted compressor



GRPZ-1D



GRPZ-1D/44



GRPZ-2D



GRPZ-2D/67



GRPZ-3D

Pizza Prep Tables

Item #	Description	Doors	Shelves	Amps	HP	Refrigerant	Capacity	Dimensions	Item Weight lbs	Shipping Weight lbs
GRPZ-1D	Grista Pizza Prep Table, 1 Door - 50"	1	1	3.5A	1/6	R290	12 cu. ft.	49.80" x 31.50" x 39.40"	286.0	396.0
GRPZ-1D/44	Grista Pizza Prep Table, 1 Door - 44"	1	1	3.5A	0.5	R290	11 cu. ft.	44.50" x 31.50" x 39.45"	187.0	385.0
GRPZ-2D	Grista Pizza Prep Table, 2 Door - 71"	2	2	4.8A	1/5	R290	19.3 cu. ft.	70.90" x 31.50" x 39.40"	341.0	475.0
GRPZ-2D/67	Grista Pizza Prep Table, 2 Door - 67"	2	2	4.8A	0.75	R290	18 cu. ft.	67.30" x 31.50" x 39.40"	244.2	451.0
GRPZ-3D	Grista Pizza Prep Table, 3 Door - 92"	3	3	6.6A	1/4	R290	26.6 cu. ft.	91.90" x 31.50" x 39.40"	440.0	609.0



Refrigeration | Salad Prep Tables



- 430 series stainless steel exterior
- Painted aluminum interior
- Environmentally-friendly R290 refrigerant
- Precise digital temperature controller with LED display
- Foamed-in-place polyurethane high density cell insulation throughout the entire cabinet
- Hinged insulated lid
- Removable door gasket
- Recessed door handles
- 3/4" thick removable polyethylene cutting board
- Clear plastic food pans included
- (4) 4" casters (2 locking and 2 non-locking)



GRSL-1D



GRSL-2D



GRSL-2D/60



GRSL-3D

Sandwich and Salad Prep Tables

Item #	Description	Doors	Shelves	Amps	HP	Refrigerant	Capacity	Dimensions	Item Weight lbs	Shipping Weight lbs
GRSL-1D	Grista Sandwich/Salad Prep Table, 1 Door - 6 Cu Ft	1	1	3.6A	1/5	R290	7.9 cu. ft.	27.50" x 29.50" x 42.30"	176.0	231.0
GRSL-2D	Grista Sandwich/Salad Prep Table, 2 Door - 14 Cu Ft	2	2	4.9A	1/4	R290	14 cu. ft.	46.70" x 29.50" x 42.30"	253.0	304.0
GRSL-2D/60	Grista Sandwich/Salad Prep Table, 2 Door - 15 Cu Ft, 60"	2	2	5.4A	1/4	R290	18.4 cu. ft.	60.20" x 29.50" x 42.30"	319.0	416.0
GRSL-3D	Grista Sandwich/Salad Prep Table, 3 Door - 21.8 Cu Ft	3	3	7.8A	3/4	R290	21.8 cu. ft.	70.40" x 29.50" x 42.30"	343.2	451.0



Refrigeration | Salad Prep Mega



- 430 series stainless steel exterior
- Painted aluminum interior
- Environmentally-friendly R290 refrigerant
- Precise digital temperature controller with LED display
- Foamed-in-place polyurethane high density cell insulation throughout the entire cabinet
- Oversized hinged insulated lid
- Removable door gasket
- Recessed door handles
- 3/4" thick removable polyethylene cutting board
- Clear plastic food pans included
- (4) 4" casters (2 locking and 2 non-locking)



GRSLM-1D



GRSLM-2D



GRSLM-2D/60



GRSLM-3D

Mega Top Prep Tables

Item #	Description	Doors	Shelves	Amps	HP	Refrigerant	Capacity	Dimensions	Item Weight lbs	Shipping Weight lbs
GRSLM-1D	Grista Mega Top Sandwich/Salad Prep Table, 1 Door - 27"	1	1	3.6A	1/5	R290	7.9 cu. ft.	27.50" x 34.00" x 45.90"	198.0	251.0
GRSLM-2D	Grista Mega Top Sandwich/Salad Prep Table, 2 Door - 47"	2	2	4.9A	1/4	R290	14 cu. ft.	46.70" x 34.00" x 45.90"	275.0	370.0
GRSLM-2D/60	Grista Mega Top Sandwich/Salad Prep Table, 2 Door - 60"	2	2	5.4A	1/4	R290	18.4 cu. ft.	60.20" x 34.00" x 45.90"	341.0	427.0
GRSLM-3D	Grista Mega Top Sandwich/Salad Prep Table, 3 Door - 70"	3	3	7.8A	3/4	R290	21.8 cu. ft.	70.40" x 34.00" x 45.90"	374.0	576.0



Undercounter Refrigeration | Refrigerators



- 430 series stainless steel exterior
- Painted aluminum interior
- Environmentally-friendly R290 refrigerant
- Automatic defrosting
- Removable door gasket
- Recessed door handles
- (4) 4" casters (2 locking and 2 non-locking)
- Precise digital temperature controller with LED display
- Foamed-in-place polyurethane high density cell insulation throughout the entire cabinet



GRUCRF-27



GRUCRF-48



GRUCRF-60




GRUCRF-72

Undercounter Refrigerators

Item #	Description	Doors	Shelves	Amps	HP	Refrigerant	Capacity	Dimensions	Item Weight lbs	Shipping Weight lbs
GRUCRF-27	Grista Undercounter Refrigerator, 1 Door - 6.3 Cu Ft, 27"	1	1	2.2A	1/5	R290	6.3 cu. ft.	27.00" x 29.50" x 35.20"	158.4	202.0
GRUCRF-48	Grista Undercounter Refrigerator, 2 Door - 11.9 Cu Ft, 48"	2	2	2.4A	1/5	R290	11.9 cu. ft.	47.20" x 29.50" x 35.20"	213.4	275.0
GRUCRF-60	Grista Undercounter Refrigerator, 2 Door - 16 Cu Ft, 60"	2	2	2.6A	1/5	R290	15.7 cu. ft.	60.20" x 29.50" x 35.20"	253.0	323.0
GRUCRF-72	Grista Undercounter Refrigerator, 3 Door - 19 Cu Ft, 72"	3	3	2.7A	1/5	R290	18.9 cu. ft.	71.50" x 29.50" x 35.20"	297.0	370.0



Undercounter Refrigeration | Freezers



- Foamed-in-place polyurethane high density cell insulation throughout the entire cabinet
- 304 stainless steel top, interior walls and floor
- Durable black steel exterior
- Environmentally-friendly R290 refrigerant
- Side mounted compressor
- Brilliant LED lighting
- Plastic coated wire shelves
- Automatic defrosting
- 24" narrow depth is great for areas with limited bar space



GRUCFZ-27



GRUCFZ-48



GRUCFZ-60

Undercounter Freezers

Item #	Description	Doors	Shelves	Amps	HP	Refrigerant	Capacity	Dimensions	Item Weight lbs	Shipping Weight lbs
GRUCFZ-27	Grista Undercounter Freezer, 1 Door - 6.3 Cu Ft, 27"	1	1	3.6A	1/5	R290	6.3 cu. ft.	27.00" x 29.50" x 35.20"	158.4	202.0
GRUCFZ-48	Grista Undercounter Freezer, 2 Door - 12 Cu Ft, 48"	2	2	4.5A	1/5	R290	11.9 cu. ft.	47.20" x 29.50" x 35.20"	213.4	290.0
GRUCFZ-60	Grista Undercounter Freezer, 2 Door - 16 Cu Ft, 60"	2	2	4.5A	1/5	R290	15.7 cu. ft.	60.20" x 29.50" x 35.20"	253.0	323.0





We care about
Food Safety!

Our Warranty Statement

Admiral Craft Equipment Limited Warranty, Two Year Parts and Labor + 5 Year Compressor and Evaporator Pan. Admiral Craft Equipment Corp. (ACE) warrants its equipment against defects in materials and workmanship, subject to the following conditions:

ACE Equipment is warranted for one year, effective from the date of purchase by the original owner. A copy of the original receipt or other proof of purchase is required to obtain warranty coverage. This warranty applies to the original owner only and is not assignable.

Should any product fail to function in its intended manner under normal use within the limits defined in this warranty, at ACE's discretion, such product will be repaired, replaced with a refurbished unit, or replaced with a new unit by ACE, after defective unit has been inspected and defect has been confirmed.

The following conditions are not covered by this warranty:

- Equipment failure relating to improper installation, improper utility connection or supply and problems due to improper ventilation.
- Equipment that has not properly been maintained, damage from improper cleaning, and water damage to controls.
- Equipment that has not been used in an appropriate manner, or has been subject to misuse, neglect, abuse, accident, alteration, negligence, damage during transit, delivery or installation, fire, flood, riot, or act of God.
- Equipment that has the model number or serial number removed or altered.
- Equipment on which the security seal has been broken.

ACE does not assume any liability for extended delays in replacing any item beyond its control. This warranty does not apply to rubber and non-metallic synthetic parts that may need to be replaced due to normal usage, wear, or lack of preventative maintenance.

This warranty covers products shipped into the 48 contiguous United States, Hawaii, and metropolitan areas of Alaska and Canada. Warranty coverage on products used outside the 48 contiguous United States, Hawaii and metropolitan areas of Alaska and Canada may vary. Contact ACE for details at 1-877-672-7740.

If the equipment has been changed, altered, modified, or repaired without express written permission from ACE, then the manufacturer shall not be liable for any damages to any person or to any property, which may result from the use of this equipment thereafter.

This equipment is intended for commercial use only and this warranty is void if equipment is used in other than a commercial application.

Warranty Claims & Service

For warranty and non-warranty related issues please call ACE at 1-877-672-7740 to speak to technical support. When calling please have your model number, serial number, and proof of purchase ready. To purchase replacement parts, receive online technical support or fill out a warranty claim visit www.admiralcraftequipment.com. It is not necessary to contact the place where you originally purchased your product from.

"THE FOREGOING WARRANTY IS IN LIEU OF ANY AND ALL WARRANTIES EXPRESSED OR IMPLIED INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSES AND CONSTITUTES THE ENTIRE LIABILITY OF ACE. IN NO EVENT DOES THE LIMITED WARRANTY EXTEND BEYOND THE TERMS STATED HEREIN."

Admiral Craft Equipment Corp. (ACE) reserves the exclusive rights to change or modify this warranty statement or any part herein at any time without prior notice.





admiralcraft.com
3355 Enterprise Ave #160,
Weston, FL 33331