



U-STAR[®]

Commercial Refrigeration Equipment





The Legacy Companies is a privately-owned company, founded in 2000. We are a leading commercial food service equipment provider that designs, manufactures, distributes and markets, nationally and internationally, a diverse portfolio of products under world-class brands that exceed customer expectations.

The Legacy Companies is a trusted leader in the commercial industry. We are dedicated to helping you get the most out of your kitchen – from refrigerators and freezers, to merchandisers, ice machines, dishwashers, proofers, kettles, counter-top equipment, and smallwares, we have what your commercial foodservice business needs.

The power of our iconic brand portfolio combined with our focus on innovation and quality is what makes us the Legacy Companies.

table of contents

	Page
Refrigeration	
Reach-In Refrigeration	
Reach-In Refrigerators	4-5
Reach-In Freezers	6-7
Refrigerated Prep Tables	
Pizza Prep Tables	9
Mega Top Prep Tables	11
Salad and Sandwich Prep Tables	13
Undercounter Refrigeration	
Undercounter Refrigerators	15
Undercounter Freezers	15
Worktop Refrigeration	
Worktop Refrigerators	17
Worktop Freezers	17
Chef Bases	18-19
Merchandising and Display	
Glass Door Merchandiser Refrigerators	21
Deli Cases	23
Bar Refrigeration	
Back Bar Coolers	25
Bottle Coolers	27
Beer Dispensers	29
Glass Frosters	31
Dipping Cabinets	33

Reach-Ins | Refrigerators



- 430 series stainless steel exterior
- Painted aluminum interior
- Environmentally-friendly R290 refrigerant
- Self-closing doors
- Precise digital temperature controller with LED display
- Removable door gasket
- Recessed door handles
- Bottom-mounted cooling unit that slides out
- (4) 6" casters (2 locking and 2 non-locking)
- Foamed-in-place polyurethane high density cell insulation throughout the entire cabinet



USRF-1D



USRF-1D/19



USRF-2D



USRF-1D-G



USRF-2D-G

Reach-In Refrigerators

Item #	Description	Doors	Shelves	Amps	HP	Refrigerant	Capacity	Dimensions	Item Weight lbs	Shipping Weight lbs
USRF-1D/19	U-Star Reach-In Refrigerator, 1 Door - 19 Cu Ft	1	3	3.1A	1/5	R290	17.3 cu. ft.	29.00" x 25.50" x 82.50"	282.0	268.0
USRF-1D	U-Star Reach-In Refrigerator, 1 Door - 23 Cu Ft	1	3	3.6A	1/5	R290	23.1 cu. ft.	29.00" x 32.20" x 82.50"	281.6	321.0
USRF-1D-G	U-Star Reach-In Refrigerator, 1 Glass Door - 23 Cu Ft	1	3	3.6A	0.5	R290	23.1 cu. ft.	29.00" x 32.20" x 82.50"	282.0	341.0
USRF-2D	U-Star Reach-In Refrigerator, 2 Door - 46.5 Cu Ft	2	6	6.2A	1/4	R290	46.7 cu. ft.	54.00" x 32.20" x 82.50"	446.6	530.0
USRF-2D-G	U-Star Reach-In Refrigerator, 2 Glass Door - 46.7 Cu Ft	2	6	6.2A	0.75	R290	46.7 cu. ft.	29.50" x 25.50" x 82.50"	447.0	530.0



Reach-Ins | Freezers



- Painted aluminum interior with stainless steel floor
- Foamed-in-place polyurethane high density cell insulation throughout the entire cabinet
- Illuminated bright interior lights for greater visibility
- Automatic defrosting
- Front mounted LED temperature display
- Removable door gasket for easy cleaning
- Plastic coated shelves included
- Self closing door



USFZ-1D/19



USFZ-1D



USFZ-2D



USFZ-1D-G



USFZ-2D-G

Reach-In Freezers

Item #	Description	Doors	Shelves	Amps	HP	Refrigerant	Capacity	Dimensions	Item Weight lbs	Shipping Weight lbs
USFZ-1D/19	U-Star Reach-In Freezer, 1 Door - 19 Cu Ft	1	3	3.8A	3/4	R290	17.3 cu. ft.	29.00" x 25.50" x 82.50"	282.0	279.0
USFZ-1D	U-Star Reach-In Freezer, 1 Door - 23 Cu Ft	1	3	4.2A	3/4	R290	23.1 cu. ft.	29.00" x 32.20" x 82.50"	281.6	345.0
USFZ-1D-G	U-Star Reach-In Freezer, 1 Glass Door - 23 Cu Ft	1	3	7.6A	1	R290	23.1 cu. ft.	29.00" x 32.20" x 82.50"	281.6	321.0
USFZ-2D	U-Star Reach-In Freezer, 2 Door - 46.5 Cu Ft	2	6	8.5A	1	R290	46.7 cu. ft.	54.00" x 32.20" x 82.50"	446.6	535.0
USFZ-2D-G	U-Star Reach-In Freezer, 2 Glass Door - 48 Cu Ft	2	6	10.9A	1.25	R290	46.7 cu. ft.	54.00" x 32.20" x 82.50"	447.0	530.0



Refrigerators | Pizza Prep Tables



- 430 series stainless steel exterior
- Painted aluminum interior
- Environmentally-friendly R290 refrigerant
- Self-closing doors
- Precise digital temperature controller with LED display
- Foamed-in-place polyurethane high density cell insulation throughout the entire cabinet
- Removable door gasket
- Bottom-mounted cooling unit that slides out
- Recessed door handles
- (4) 6" casters (2 locking and 2 non-locking)



USPZ-2D



USPZ-3D

Pizza Prep Tables

Item #	Description	Doors	Shelves	Amps	HP	Refrigerant	Capacity	Dimensions	Item Weight lbs	Shipping Weight lbs
USPZ-2D	U-Star Pizza Prep Table, 2 Door - 71"	2	2	4.8A	1/5	R290	19.3 cu. ft.	70.90" x 31.50" x 42.80"	341.0	475.0
USPZ-3D	U-Star Pizza Prep Table, 3 Door - 92"	3	3	6.6A	1/4	R290	26.6 cu. ft.	91.90" x 31.50" x 42.80"	440.0	609.0



Refrigerators | Mega Top Prep Tables



- 430 series stainless steel exterior
- Painted aluminum interior
- Environmentally-friendly R290 refrigerant
- Self-closing doors
- Precise digital temperature controller with LED display
- Foamed-in-place polyurethane high density cell insulation throughout the entire cabinet
- Removable door gasket
- Bottom-mounted cooling unit that slides out
- Recessed door handles
- (4) 6" casters (2 locking and 2 non-locking)



USSLM-2D/36



USSLM-2D

Mega Top Prep Tables

Item #	Description	Doors	Shelves	Amps	HP	Refrigerant	Capacity	Dimensions	Item Weight lbs	Shipping Weight lbs
USSLM-2D/36	U-Star Mega Top Sandwich/Salad Prep Table, 2 Door - 36"	2	2	4.3A	1/5	R290	10.8 cu. ft.	36.20" x 34.00" x 45.90"	242.0	308.0
USSLM-2D	U-Star Mega Top Sandwich/Salad Prep Table, 2 Door - 48"	2	2	4.9A	1/4	R290	14 cu. ft.	46.70" x 34.00" x 45.90"	275.0	370.0



Refrigerators | Prep table



- Precise digital temperature controller with LED display
- Foamed-in-place polyurethane high density cell insulation throughout the entire cabinet
- Automatic defrosting
- 430 series stainless steel exterior
- (4) 6" casters (2 locking and 2 non-locking)
- Removable door gasket
- Recessed door handles
- 304 series stainless steel interior



USSL-1D



USSL-2D/36



USSL-2D



USSL-2D/60

Sandwich and Salad Prep Tables

Item #	Description	Doors	Shelves	Amps	HP	Refrigerant	Capacity	Dimensions	Item Weight lbs	Shipping Weight lbs
USSL-1D	U-Star Refrigerated Salad/Sandwich Prep Table, 1 Door - 27"	1	1	3.6A	1/5	R290	7.9 cu. ft.	27.50" x 29.50" x 42.30"	176.0	231.0
USSL-2D/36	U-Star Refrigerated Salad/Sandwich Prep Table, 2 Door - 36"	2	2	4.3A	1/5	R290	10.8 cu. ft.	36.20" x 29.50" x 42.30"	220.0	286.0
USSL-2D	U-Star Refrigerated Salad/Sandwich Prep Table, 2 Door - 48"	2	2	4.9A	1/4	R290	14 cu. ft.	46.70" x 29.50" x 42.30"	253.0	304.0
USSL-2D/60	U-Star Refrigerated Salad/Sandwich Prep Table, 2 Door - 60"	2	2	5.4A	1/4	R290	18.4 cu. ft.	60.20" x 29.50" x 42.30"	319.0	416.0



Undercounter Refrigeration | Refrigerators & Freezers



- 430 series stainless steel exterior
- 304 series stainless steel interior
- Precise digital temperature controller with LED display
- Foamed-in-place polyurethane high density cell insulation throughout the entire cabinet
- Automatic defrosting
- Removable door gasket
- Recessed door handles
- (4) 6" casters (2 locking and 2 non-locking)



USUCRF-27



USUCRF-48

Undercounter Refrigerators

Item #	Description	Doors	Shelves	Amps	HP	Refrigerant	Capacity	Dimensions	Item Weight lbs	Shipping Weight lbs
USUCRF-27	U-Star Undercounter Refrigerator, 1 Door - 27"	1	1	2.2A	1/6	R290	6.3 cu. ft.	27.00" x 29.50" x 35.20"	158.4	202.0
USUCRF-48	U-Star Undercounter Refrigerator, 2 Door - 48"	2	2	2.4A	1/5	R290	11.9 cu. ft.	47.20" x 29.50" x 35.20"	213.4	275.0



USUCFZ-27



USUCFZ-48

Undercounter Freezers

Item #	Description	Doors	Shelves	Amps	HP	Refrigerant	Capacity	Dimensions	Item Weight lbs	Shipping Weight lbs
USUCFZ-27	U-Star Undercounter Freezer, 1 Door - 27"	1	1	3.6A	1/5	R290	6.3 cu. ft.	27.00" x 29.50" x 35.20"	158.4	202.0
USUCFZ-48	U-Star Undercounter Freezer, 2 Door - 48"	2	2	4.5A	1/4	R290	11.9 cu. ft.	47.20" x 29.50" x 35.20"	213.4	290.0



Worktop Refrigeration | Refrigerators & Freezers



- Automatic defrosting
Foamed-in-place polyurethane high density cell insulation throughout the entire cabinet
- 430 series stainless steel exterior
- 304 series stainless steel interior
- Precise digital temperature controller with LED display
- Removable door gasket
- Recessed door handles
- (4) 6" casters (2 locking and x 2 non-locking)



USWR-1D



USWR-2D

Worktop Refrigerators

Item #	Description	Doors	Shelves	Amps	HP	Refrigerant	Capacity	Dimensions	Item Weight lbs	Shipping Weight lbs
USWR-1D	U-Star Worktop Refrigerator, 1 Door - 6 Cu Ft	1	1	2.2A	1/6	R290	6.3 cu. ft.	27.00" x 29.50" x 38.70"	158.4	213.0
USWR-2D	U-Star Worktop Refrigerator, 2 Door - 12 Cu Ft	2	2	2.4A	1/5	R290	11.9 cu. ft.	47.20" x 29.50" x 38.70"	213.4	286.0



USWF-1D



USWF-2D

Worktop Freezers

Item #	Description	Doors	Shelves	Amps	HP	Refrigerant	Capacity	Dimensions	Item Weight lbs	Shipping Weight lbs
USWF-1D	U-Star Worktop Freezer, 1 Door - 6 Cu Ft, 27"	1	1	3.6A	1/5	R290	6.3 cu. ft.	27.00" x 29.50" x 38.70"	158.4	213.0
USWF-2D	U-Star Worktop Freezer 2 Door - 12 Cu Ft, 47"	2	2	4.5A	1/4	R290	11.9 cu. ft.	47.20" x 29.50" x 38.70"	213.4	301.0



Refrigerators | Chef Bases



- Heavy duty stainless steel top, front and sides
- Stainless steel floor and liner inside the cabinet
- Heavy duty one piece stainless steel top with "V" edge
- Slide out compressor for easy maintenance
- Removable heavy duty stainless steel drawers, slides and rollers
- Foamed-in-place polyurethane high density cell insulation throughout the entire cabinet
- 4" locking casters for easy moving and cleaning



USCB-36



USCB-48



USCB-52



USCB-60



USCB-72




USCB-84

Chef Bases

Item #	Description	Refrigerant	Volts	Watts	Amps	HP	Dimensions	Item Weight lbs	Shipping Weight lbs
USCB-36	U-Star Refrigerated Chef Base, 2 Drawers - 36"	R290	115V	287W	4A	1/6	36.40" x 32.10" x 25.90"	174.0	218.0
USCB-48	U-Star Refrigerated Chef Base, 2 Drawers - 48"	R290	115V	343W	4.32A	0.5	48.30" x 32.13" x 25.91"	202.4	257.0
USCB-52	U-Star Refrigerated Chef Base, 2 Drawers - 52"	R290	115V	361W	4.5A	1/6	51.90" x 32.10" x 25.90"	220.0	279.0
USCB-60	U-Star Refrigerated Chef Base, 2 Drawers - 60"	R290	115V	444W	5.04A	0.5	60.00" x 32.13" x 25.91"	231.0	290.0
USCB-72	U-Star Refrigerated Chef Base, 4 Drawers - 72"	R290	115V	487W	6.5A	1/5	72.40" x 32.10" x 25.90"	286.0	321.0
USCB-84	U-Star Refrigerated Chef Base, 4 Drawers - 84"	R290	115V	582W	6.84A	0.75	84.00" x 32.13" x 25.91"	330.0	376.0



Refrigerators | Merchandisers



- Painted aluminum interior with stainless steel floor
- Foamed-in-place polyurethane high density cell insulation throughout the entire cabinet
- Illuminated bright interior lights for greater visibility
- Front mounted LED temperature display
- Automatic defrosting
- Removable door gasket for easy cleaning
- Plastic coated shelves included
- Black coated steel exterior
- Self closing door



USRFS-1D/22



USRFS-1D/B



USRFS-2D/54



USRFS-2D/B

Merchandiser Refrigerators

Item #	Description	Doors	Shelves	Amps	HP	Refrigerant	Capacity	Dimensions	Item Weight lbs	Shipping Weight lbs
USRFS-1D/22	U-Star Merchandiser Refrigerator, 1 Glass Swing Door - 22"	1	4	2A	1/5	R290	8.5 cu. ft.	21.70" x 21.70" x 63.00"	189.6	245.0
USRFS-1D/B	U-Star Merchandiser Refrigerator, 1 Glass Swing Door, Black - 28"	1	4	3A	1/5	R290	22.6 cu. ft.	28.30" x 31.90" x 79.30"	319.7	352.0
USRFS-2D/54	U-Star Merchandiser Refrigerator, 2 Glass Swing Door - 54"	2	8	6A	1/4	R290	39.9 cu. ft.	53.10" x 31.90" x 79.30"	435.6	480.0
USRFS-2D/B	U-Star Merchandiser Refrigerator, 2 Glass Swing Door, Black - 53"	2	8	6A	1/4	R290	39.9 cu. ft.	53.10" x 31.90" x 79.30"	435.6	480.0



Refrigerators | Deli Cases



- Exterior is constructed of stainless steel top and front with painted steel sides
- Foamed-in-place polyurethane high density cell insulation throughout the entire cabinet
- High humidity gravity coil refrigeration system for optimal product freshness
- R290 refrigerant ensures ideal operating temperatures
Insulated double pane curved front glass
- Adjustable plastic coated wire shelves
- Interior floor is all stainless steel
- LED lighting for enhanced product visibility



USDC-36



USDC-48



USDC-64



USDC-82

Deli Cases

Item #	Description	Doors	Shelves	Amps	HP	Refrigerant	Capacity	Dimensions	Item Weight lbs	Shipping Weight lbs
USDC-36	U-Star Refrigerated Deli Case, Black - 36"	2	4	4.5A	1/3	R290	11.6 cu. ft.	36.20" x 32.50" x 42.90"	260.1	298.0
USDC-48	U-Star Refrigerated Deli Case, Black - 48"	2	6	4.5A	1/4	R290	15.5 cu. ft.	47.20" x 32.50" x 42.90"	319.7	388.0
USDC-64	U-Star Refrigerated Deli Case, Black - 64"	3	9	4.8A	3/5	R290	21.9 cu. ft.	64.20" x 32.50" x 42.90"	399.0	485.0
USDC-82	U-Star Refrigerated Deli Case, Black - 82"	3	9	5A	3/4	R290	28.1 cu. ft.	82.00" x 32.50" x 42.90"	507.1	602.0



Bar Refrigeration | Bar Back Cooler



- Foamed-in-place polyurethane high density cell insulation throughout the entire cabinet
- Durable black steel exterior
- Side mounted self contained refrigeration
- Automatic defrosting
- 24" narrow depth is great for areas with limited bar space
- Brilliant LED interior lighting
- Models hold 2-3 Half barrel kegs, or 48-76 12 oz cans.
- Door locks come standard on all models
- Plastic coated wire shelves
- Adjustable aluminum shelf support system with 1/2" spacing
- Swing door style available in either double pane thermal glass or durable solid black vinyl doors



USBB-5928G



USBB-6928G



USBB-9028G



Back Bar Coolers

Item #	Description	Kegs (1/2 Barrell)	Doors	Shelves	Amps	HP	Refrigerant	Dimensions	Item Weight lbs	Shipping Weight lbs
USBB-5928G	U-Star Back Bar Cooler 28" Depth - Glass Door, 59" Wide	2	2	4	3.5A	1/5	R290	58.90" x 27.80" x 35.60"	253.5	297.0
USBB-6928G	U-Star Back Bar Cooler 28" Depth - Glass Door, 69" Wide	2	2	4	3.5A	1/5	R290	69.10" x 27.80" x 35.60"	297.6	341.0
USBB-9028G	U-Star Back Bar Cooler 28" Depth - Glass Door, 90" Wide	3	3	6	4.1A	1/4	R290	90.40" x 27.80" x 35.60"	363.8	405.0




Bar Refrigeration | Bottle Cooler



- Black coated steel exterior
- Painted aluminum interior
- Foamed-in-place polyurethane high density cell insulation throughout the entire cabinet
- Lockable stainless steel sliding lids
- Precise digital temperature controller with LED display
- Automatic defrosting
- Built-in bottle opener with cap catcher
- Plastic coated dividers included



USBC-50



USBC-65

Bottle Coolers

Item #	Description	Doors	Shelves	Amps	HP	Refrigerant	Capacity	Dimensions	Item Weight lbs	Shipping Weight lbs
USBC-50	U-Star Horizontal Bottle Cooler - 50"	2	3	2.5A	1/6	R290	14 cu. ft.	49.50" x 28.00" x 34.20"	180.8	225.0
USBC-65	U-Star Horizontal Bottle Cooler - 65"	2	3	2.5A	1/6	R290	19.1 cu. ft.	64.50" x 28.00" x 34.20"	253.5	298.0



Bar Refrigeration | Beer Dispensers



- Heavy duty, wear resistant laminated black vinyl front and sides
- Foamed-in-place polyurethane high density cell insulation throughout the entire cabinet
- 3" diameter stainless steel insulated beer columns
Side mounted compressor optimizes interior space
- Includes plastic coated wire shelves for additional storage
- All stainless steel countertop, tap towers and drip trays
- Interior is all stainless steel - floor and inner walls



USBD-2428



USBD-5928/2



USBD-6928/2



USBD-9028/2

Beer Dispensers

Item #	Description	Kegs (1/2 Barrell)	Doors	Shelves	Amps	HP	Refrigerant	Dimensions	Item Weight lbs	Shipping Weight lbs
USBD-2428	U-Star Kegerator/ Beer Dispenser 1 Double Tap Tower, 1 Door - 24"	1	1	0	1.92A	1/6	R290	23.50" x 30.20" x 39.80"	132.0	176.0
USBD-5928/2	U-Star Kegerator/ Beer Dispenser 1 Double Tap Tower, 2 Door - 59"	2	2	2	3.5A	1/5	R290	58.90" x 27.80" x 35.60"	253.5	297.0
USBD-6928/2	U-Star Kegerator/ Beer Dispenser 2 Double Tap Towers, 2 Door - 69"	3	2	2	3.5A	1/5	R290	69.10" x 27.80" x 35.60"	297.6	341.0
USBD-9028/2	U-Star Kegerator/ Beer Dispenser 2 Double Tap Towers, 3 Door - 90"	4	3	4	4.1A	1/4	R290	90.40" x 27.80" x 35.60"	363.8	407.0



Bar Refrigeration | Glass Frosters



- Attractive corrosion-resistant exterior vinyl on steel with black finish
- Sliding stainless steel door for easy access
- Coated aluminum interior
- Saves electricity and can be turned off during non-business hours
- Electronic control system makes it easy to adjust temperature point setting and defrost frequency
- Durable stainless steel top
- Adjustable coated steel dividers included



USGF-1L



USGF-2L

Glass Frosters

Item #	Description	Glass Capacity	Doors	Shelves	Amps	HP	Refrigerant	Dimensions	Item Weight lbs	Shipping Weight lbs
USGF-1L	U-Star Glass Froster/ Plate Chiller, 1 Lid - 27"	90 8 inch mugs, 85 10 oz steins	1	4	3.3A	1/5	R290	26.40" x 26.70" x 34.20"	127.9	158.0
USGF-2L	U-Star Glass Froster/ Plate Chiller, 2 Lids - 50"	250 8 inch mugs, 240 10 oz steins	2	8	5.3A	1/4	R290	49.50" x 26.70" x 34.20"	180.8	225.0



Freezer | Dipping Cabinets



- Electronic control system makes it easy to adjust temperature point setting and defrost frequency
- Stainless steel shelf on top of canopy provides a handy place for spoons, samples, and other supplies
- Attractive glass canopy showcases and protects products
- Stores back-up tubs
- Temperature range -10 to 5 degrees Fahrenheit
- Transparent lids hinged with a full-length handle
- Plastic can holder for each container rack
- Brilliant LED interior lighting
- Frozen space beneath display



USDP-47



USDP-67



Dipping Cabinets

Item #	Description	Tubs Display /Storage	Amps	HP	Refrigerant	Dimensions	Item Weight lbs	Shipping Weight lbs
USDP-47	U-Star Ice Cream Dipping Cabinet - 47"	8 / 4	5.16A	1/2	R290	47.20" x 27.80" x 51.30"	239.8	350.0
USDP-67	U-Star Ice Cream Dipping Cabinet - 67"	12 / 8	5.64A	1/2	R290	67.80" x 27.80" x 51.30"	310.2	444.0





Our Warranty Statement

Admiral Craft Equipment Limited Warranty, Two Year Parts and Labor + 5 Year Compressor and Evaporator Pan. Admiral Craft Equipment Corp. (ACE) warrants its equipment against defects in materials and workmanship, subject to the following conditions:

ACE Equipment is warranted for one year, effective from the date of purchase by the original owner. A copy of the original receipt or other proof of purchase is required to obtain warranty coverage. This warranty applies to the original owner only and is not assignable.

Should any product fail to function in its intended manner under normal use within the limits defined in this warranty, at ACE's discretion, such product will be repaired, replaced with a refurbished unit, or replaced with a new unit by ACE, after defective unit has been inspected and defect has been confirmed.

The following conditions are not covered by this warranty:

- Equipment failure relating to improper installation, improper utility connection or supply and problems due to improper ventilation.
- Equipment that has not properly been maintained, damage from improper cleaning, and water damage to controls.
- Equipment that has not been used in an appropriate manner, or has been subject to misuse, neglect, abuse, accident, alteration, negligence, damage during transit, delivery or installation, fire, flood, riot, or act of God.
- Equipment that has the model number or serial number removed or altered.
- Equipment on which the security seal has been broken.

ACE does not assume any liability for extended delays in replacing any item beyond its control. This warranty does not apply to rubber and non-metallic synthetic parts that may need to be replaced due to normal usage, wear, or lack of preventative maintenance.

This warranty covers products shipped into the 48 contiguous United States, Hawaii, and metropolitan areas of Alaska and Canada. Warranty coverage on products used outside the 48 contiguous United States, Hawaii and metropolitan areas of Alaska and Canada may vary. Contact ACE for details at 1-877-672-7740.

If the equipment has been changed, altered, modified, or repaired without express written permission from ACE, then the manufacturer shall not be liable for any damages to any person or to any property, which may result from the use of this equipment thereafter.

This equipment is intended for commercial use only and this warranty is void if equipment is used in other than a commercial application.

Warranty Claims & Service

For warranty and non-warranty related issues please call ACE at 1-877-672-7740 to speak to technical support. When calling please have your model number, serial number, and proof of purchase ready. To purchase replacement parts, receive online technical support or fill out a warranty claim visit www.admiralcraftequipment.com. It is not necessary to contact the place where you originally purchased your product from.

“THE FOREGOING WARRANTY IS IN LIEU OF ANY AND ALL WARRANTIES EXPRESSED OR IMPLIED INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSES AND CONSTITUTES THE ENTIRE LIABILITY OF ACE. IN NO EVENT DOES THE LIMITED WARRANTY EXTEND BEYOND THE TERMS STATED HEREIN.”

Admiral Craft Equipment Corp. (ACE) reserves the exclusive rights to change or modify this warranty statement or any part herein at any time without prior notice.





Bar Refrigeration

Chef Bases

Dipping Cabinets

Merchandising and Display

Reach-In Refrigeration

Refrigerated Prep Tables

Undercounter Refrigeration

Worktop Refrigeration



admiralcraft.com

3355 Enterprise Ave #160,
Weston, FL 33331

