

Baha Mar - Nexus Club
IKitchen
 Nassau, Bahamas

BAHA MAR



INTERNATIONAL INC.
 2055 W 73rd Street, Miami, FL 33016
 Ph:(305)826-8696 Fax:(305)826-9131


ELECTRICAL SCHEDULE

ItemNo	Category	Voltage	Cycle	Phase	Amps	Hp	NEMA	ConnectionType	Rough-In AFF	Quantity	Electrical Remarks
1	Table "L"	115	60	1	15			Duplex	48"	1	
1.2	Heat Lamp	120	60	1	4.2			J-Box	18"	1	
3	Rapid Cook Oven	208/240	60	1			6-15P	Special	48"	1	
4	Reach-In Refrigerator	115	60	1	6.6	1/3	5-15P	Simplex	18"	1	
7	Dishwasher, Undercounter	208-240	60	1	24.2-27.5			J-Box	18"	1	
8	Ice Maker with Bin, Cube-Style	115	60	1	7.5		5-15P	Simplex	18"	1	
10	Undercounter Refrigerator	115	60	1	4.5		5-15P	Simplex	18"	1	
11	Air Curtain	120	60	1		1/2		J-Box	80"	1	
21	Ice Maker with Bin, Cube-Style	115	60	1	5.0		5-15P	Simplex	18"	1	

3	Added Equipment MEP Information.	4-04-25
4	Added Bar Equipment and modifications	9-09-25
5	Added Modifications to equipment	9-12-25
6	Made kitchen changes as discussed, Added Sports Bar	9-15-25
No.	Revision/Issue	Date

LEGEND -- ELECTRICAL CONNECTIONS

-  DUPLEX RECEPT., 15-AMP, 120-VOLT, GROUND TYPE, HORIZONTAL MOUNT
-  SIMPLEX RECEPT., 120-VOLT, GROUND TYPE, HORIZONTAL MOUNT
-  SPECIAL PURPOSE OUTLET, GROUND TYPE, HORIZONTAL MOUNT
-  JUNCTION BOX, DIRECT CONNECTION
-  DISCONNECT SWITCH, DIRECT CONNECTION
-  FLOOR/CEILING RECEPTACLE AS INDICATED
-  (2) Telephone + (2) Data
-  FIELD CONNECTIONS
-  HARD WIRE CONNECTION POINT AT MACHINE



NOTE # E2: ALL NATIONAL, STATE, AND LOCAL CODES SHALL APPLY.
NOTE # E3: ALL ELECTRICAL CONNECTIONS AND HARDWARE REQUIRED TO BE PROVIDED BY ELECTRICAL CONTRACTOR.
NOTE # E4: ALL JUNCTION BOXES, OUTLETS, ETC. TO BE LOCATED SO AS TO NOT INTERFERE WITH EQUIPMENT.
NOTE # E5: ALL RELAYS, CONTRACTORS, STARTERS, AND SWITCHES REQUIRED FOR EXHAUST & SUPPLY FANS TO BE PROVIDED BY ELECTRICAL CONTRACTOR UNLESS SPECIFIED.
NOTE # E6: ELECTRICAL CONTRACTOR TO INTERCONNECT DISHMACHINE TO EXHAUST FAN FOR DISHMACHINE SO THAT THE FAN RUNS WHEN THE DISHMACHINE IS IN OPERATION.
NOTE # E7: ELECTRICAL CONTRACTOR TO INSTALL TABLE LIMIT SWITCH TO END OF CLEAN DISHTABLE TO THAT MACHINE STOPS WHEN SWITCH IS DEPRESSED.
NOTE # E8: ELECTRICAL CONTRACTOR TO CONNECT DRAIN LINE HEATER, PAN HEATER AND DOOR HEATER FOR WALK-IN FREEZER.

Equipment ELECTRICAL Service Requirements

All Dimensions to be verified on the job site. Actual locations for floor drains, and any ventilating equipment to be determined by Engineer. Mechanical, Plumbing & Electrical to be checked and verified by Customers MEP Engineer. Remote Condensing Units to be located by Architect. Exhaust & Supply fans to be located by Architect.

Date
Sept 15, 2025
 Drawn By
Dayne Gauntlett
 Scale
1/2" = 1'0"

Sheet
FS-3.1