





Mechanical Schedule							
ITEM NO.	QTY	DISCRIPTION	EXHAUST (L X W)	EXHAUST (CFM)	Makeup Vent Width	SUPPLY (CFM)	Ventilation Remarks
1.3	2	Shelving, Wall Mounted					Wall Backing, See Note M9
1.4	2	Shelving, Wall Mounted					Wall Backing, See Note M9
8.1	1	Water Filtration System, Parts & Accessories					Wall Backing, See Note M9
21.1	1	Water Filtration System, Parts & Accessories					Wall Backing, See Note M9
26	2	Speed Rail / Rack					Wall Backing, See Note M9



- LEGEND — MECHANICAL**
- EXHAUST DUCT COLLAR
  - SUPPLY DUCT COLLAR
  - INWALL BACKING FOR WALL SHELVES
  - RECESSED FLOOR
  - RAISED EQUIPMENT PAD

**NOTE # M5:** ALL NATIONAL, STATE, AND LOCAL CODES SHALL APPLY.

**NOTE # M6:** ARCHITECT OR ENGINEER TO SIZE AND LOCATE, CONTRACTOR TO PROVIDE ALL OPENINGS FOR DUCTS, PLUMBING LINES, ELECTRICAL LINES, AND REFRIGERATION LINES, AS REQUIRED BY EQUIPMENT.

**NOTE # M7:** SUPPLY FANS TO BE LOCATED A MINIMUM OF 10' FROM EXHAUST FANS.

**NOTE # M8:** SHOP DRAWING WILL BE PROVIDED BY MANUFACTURER FOR HOOD, EXHAUST FANS, & SUPPLY FANS, ONCE ORDER IS PLACE WITH.

**NOTE # M9:** GENERAL CONTRACTOR TO PROVIDE 2\"/>

**NOTE # M10:** CEILING HEIGHTS TO BE VERIFIED FOR SUFFICIENT CLEARANCE FOR EQUIPMENT.

**NOTE # M11:** REFRIGERATION CONTRACTOR TO HANG EVAPORATORS FOR WALK-IN, RUN & CHARGE LINES BETWEEN EVAP. & CONDENSING UNIT.

## Equipment MECHANICAL Service Requirements

All Dimensions to be verified on the job site. Actual locations for floor drains, and any ventilating equipment to be determined by Engineer. Mechanical, Plumbing & Electrical to be checked and verified by Customers MEP Engineer. Remote Condensing Units to be located by Architect. Exhaust & Supply Fans to be located by Architect.

**Baha Mar - Nexus Club**  
**IKitchen**  
Nassau, Bahamas

INTERNATIONAL INC.  
2055 W 73rd Street, Miami, FL 33016  
Ph:(305)826-8696 Fax:(305)826-9131

3	Added Equipment MEP Information.	4-04-25
4	Added Bar Equipment and modifications	9-09-25
5	Added Modifications to equipment	9-12-25
6	Made kitchen changes as discussed, Added Sports Bar	9-15-25
No.	Revision/Issue	Date

Date  
**Sept 15, 2025**  
Drawn By  
**Dayne Gauntlett**  
Scale  
**1/2" = 1'0"**

Sheet  
**FS-2.1**