

ITEM NO.	DESCRIPTION	COLD WATER SIZE	HOT WATER SIZE	H&C ROUGH-IN	DIRECT WASTE SIZE	DIRECT WASTE AFF	INDIRECT WASTE SIZE	GAS SIZE(IN)	GAS MBTU	QTY	PLUMBING REMARKS
1	Drainboard	1/2"	1/2"	12"	1-1/2"	16"	1"			1	
2	Hand Sink	1/2"	1/2"	12"	12"	16"	(3) 1-1/2"			1	
4	Underbar Sink Units	1/2"	1/2"	12"	12"	16"				1	
6	Blender Station	1/2"	1/2"	12"	12"	16"				1	
7	Ice Bin	3/8"		na			1"			1	Connect with Filter
10	Espresso Cappuccino Machine	1"		12"			1-1/2"			1	Connect with Filter
10.1	Water Softener Conditioner	1/2"		na			3/4"			1	Connect with Filter
21	Ice Maker with Bin, Cube-Style	1/2"		na						1	
21.1	Water Filtration System, for Ice Machines	3/4"		60"						1	
24	Mop Sink	1/2"		36"		2"				1	
24.1	Service Faucet	1/2"		36"						1	

PLUMBING SCHEDULE

LEGEND - PLUMBING CONNECTIONS

- HW-HOT WATER, OR CW-COLD WATER
- GAS
- WASTE, DIRECT-CONNECTED
- WASTE, INDIRECT TO FLOOR SINK
- FLOOR DRAIN Jochem 30000-A3
- FUNNEL FLOOR DRAIN Jochem 30000-E3
- FLOOR SINK Zurn FD-2370-PV4-F

NOTE # P4
ALL NATIONAL, STATE, AND LOCAL CODES SHALL APPLY

NOTE # P5
ALL PLUMBING CONNECTIONS TO BE EXTENDED AND INTERCONNECTED TO EQUIPMENT TO BE PROVIDED BY PLUMBER CONTRACTOR

NOTE # P6
PLUMBER CONTRACTOR TO VERIFY THAT ALL EQUIPMENT IS INSTALLED WITH THE APPROPRIATE GAS PRESSURE AND REGULATORS

NOTE # P7
ALL WASTE LINES AND CONDENSATE LINES TO BE EXTENDED FROM EQUIPMENT TO FLOOR DRAINS BY PLUMBING CONTRACTOR.


Service Requirements

Equipment PLUMBING


All Dimensions to be verified on the job site. Actual locations for floor drains, and any ventilating equipment to be determined by Engineer, Mechanical, Plumbing & Electrical to be checked and verified by Customers MEP Engineer. Exhaust & Supply fans to be located by Architect.




Stainless Steel Flood Sink & Floor Drain
NOTE # P8
TYPICAL FLOOD SINK
NOT TO SCALE



NOTE # P1
TYPICAL HAND SINK PLUMBING
NOT TO SCALE



NOTE # P2
TYPICAL INDIRECT DRAIN PLUMBING
NOT TO SCALE



NOTE # P3
TYPICAL GAS LINE PLUMBING
NOT TO SCALE



INTERNATIONAL INC.

2055 W 73rd Street, Miami, FL 33016
Ph:(305)826-8696 Fax:(305)826-9131

**City Zero
Juice Bar
Miami, Florida**

1	Preliminary Layout	11-16-19
2	Update based on new backdrops	12-19-19
3	Update based on 1-15-20	1-16-20
4	Moved 3 bowl sink	12-17-20
No.	Revision/Issue	Date

Date
Dec 17, 2020
Drawn By
Dayne Gauntlett
Scale
1/2" = 1'0"

Sheet
FS-4