

Soho Beach House
 Cecconi's
 Miami Beach, Florida




2055 W 73rd Street, Miami, FL 33016
 Ph:(305)826-8696 Fax:(305)826-9131

ELECTRICAL SCHEDULE											
ItemNo	Category	Voltage	Cycle	Phase	Amps	Hp	NEMA	ConnectionType	Rough-In AFF	Quantity	Electrical Remarks
2	Underbar Ice Bin / UC Ref	120	60	1	20			J-Box	24"	3	Hard Wire
4	Underbar POS Station	120	60	1	15			Duplex	24"	2	Power for POS
5	Glass Froster	120	60	1	5	1/3	5-15P	Simplex	12"	2	
7	Glasswasher, Undercounter / Underbar	208-240	60	1				J-Box	18"	1	Confirm Elec with Owner
25	Back Bar Cabinet, Refrigerated	120	60	1	1.6			Direct	12"	3	
	Remote Condensing Unit	120	60	1	1.6	1/4		Direct	12"	3	
26	Back Bar Cabinet, Refrigerated	120	60	1	2.0	1/4		Direct	12"	1	
	Remote Condensing Unit	120	60	1	2.0	1/3		Direct	12"	1	
31	Backbar Cooler, front breathing	115	60	1	5.8	1/4	5-15P	Simplex	12"	1	
34	Draft Beer System Power Pack	115	60	1	15.4	1/2	5-20P	Simplex		1	

LEGEND - ELECTRICAL CONNECTIONS

- DUPLEX RECEPT., 15-AMP, 120-VOLT, GROUND TYPE, HORIZONTAL MOUNT
- SIMPLEX RECEPT., 120-VOLT, GROUND TYPE, HORIZONTAL MOUNT
- SPECIAL PURPOSE OUTLET, GROUND TYPE, HORIZONTAL MOUNT
- JUNCTION BOX, DIRECT CONNECTION
- DISCONNECT SWITCH, DIRECT CONNECTION
- FLOOR/CEILING RECEPTACLE AS INDICATED
- (2) Telephone + (2) Data
- FIELD CONNECTIONS
- HARD WIRE CONNECTION POINT AT MACHINE



NOTE # E2.
 ALL NATIONAL, STATE, AND LOCAL CODES SHALL APPLY.

NOTE # E3.
 ALL ELECTRICAL CONNECTIONS AND HARDWARE REQUIRED TO BE PROVIDED BY ELECTRICAL CONTRACTOR.

NOTE # E4.
 ALL JUNCTION BOXES, OUTLETS, ETC. TO BE LOCATED SO AS TO NOT INTERFERE WITH EQUIPMENT.

NOTE # E5.
 ALL RELAYS, CONTRACTORS, STARTERS, AND SWITCHES REQUIRED FOR EXHAUST & SUPPLY FANS TO BE PROVIDED BY ELECTRICAL CONTRACTOR UNLESS SPECIFIED.

NOTE # E6.
 ELECTRICAL CONTRACTOR TO INTERCONNECT DISHMACHINE TO EXHAUST FAN FOR DISHMACHINE SO THAT THE FAN RUNS WHEN THE DISHMACHINE IS IN OPERATION.

NOTE # E7.
 ELECTRICAL CONTRACTOR TO INSTALL TABLE LIMIT SWITCH TO END OF CLEAN DISHTABLE TO THAT MACHINE STOPS WHEN SWITCH IS DEPRESSED.

NOTE # E8.
 ELECTRICAL CONTRACTOR TO CONNECT DRAIN LINE HEATER, PAN HEATER AND DDBR HEATER FOR WALK-IN FREEZER.

Equipment ELECTRICAL Service Requirements

All Dimensions to be verified on the job site. Actual locations for floor drains, and any ventilating equipment to be determined by Engineer. Mechanical, Plumbing & Electrical to be checked and verified by Customers MEP Engineer. Remote Condensing Units to be located by Architect. Exhaust & Supply fans to be located by Architect.

No.	Revision/Issue	Date
5	Owner Comments curbs, drawers, millwork, towers.	6-3-25
6	Added MEP	6-12-25
7	Owner Comments curbs, drawers, sinks, brass towers	6-19-25
7	Added Updated Equipment and MEP	9-10-25

Date
 Sept 10, 2025

Drawn By
 Dayne Gauntlett

Scale
 1/2" = 1'0"

Sheet
FS-3.1